PART I. SUBJECT INDEX

Alexander, George L.: In Memoriam, 35.

Algae: see **Spirogyra.**

Ameiurus nebulosus: see also **Bullhead.**

Ameiurus nebulosus, linseed meal non toxic to, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 77.

American Fisheries Society, certificate of incorporation, 283.
clubs, dealers, etc., 305-306.
constitution and by-laws, as amended to date, 284-287.
members, year 1931-1932, 288-304.
officers, 286; for 1930-1931 and 1931-1932, 3.

Amphipod (fresh water): see **Hyalella.**

Angling, report of vice-president division of, Westerman, Fred A., 22-23.

Aquatic biology and physics, report of vice-president division of, Harkness, William J. K., 26-27.

Aquatic flora: see **Vegetation.**

Arkansas, bass propagation in, Brown, Dell, 83-85.

Arsenic (see also **Sodium arsenite solution**), metabolism of Micropterus salmoides Lacepede fingerlings, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 150-160.
poisoning, from fish consumption, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 157-159.

Arsenious oxide in sodium arsenite, proportions lethal to vegetation yet harmless to aquatic organisms, Surber, E. W., and Meehean, O. L., 225.

Asellus communis (fresh water Isopod) toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Atmosphere: see **Water,** pressure experiments.

Auditing committee, report of, 29.

Avery, Carlos, late Secretary-Treasurer, appreciation of, 29.

Bacillus salmonicida (see also **Furunculosis**), cultural characteristics, Stevens, Margaret L., 197-198.

Bait: see **Minnows.**

Balto fish food equal to liver for brook trout and small-mouth bass fingerlings, Powell, A. M., 80-81.
unsatisfactory results obtained with, Langlois, T. H., 110.

Barr fishway first installed at Rest Lake dam, found successful, Webster, B. O., 247-253.

Barriers to restore natural conditions in streams (disc.), 51-57.
Bass (see also **Calico, Kentucky, Large-mouth, Rock, Small-mouth, Spotted, White,** and **Yellow** bass), black, federal law protecting, Denmead, Talbott, 258-261.
black four species of, Hubbs, Carl L., 87.
black, propagation in Indiana, Shirts, Walter, 116-118.
blue-colored large-mouth (disc.), 101-102.
cestode (Proteocephalus ambloplitis), life-history of, Bangham, R. V., 201.
culture (disc.), 98-105.
fingerlings, rapid growth when fed on ground fresh salt-water fish (disc.), 100.
hybrids, Hubbs, Carl L., 87-88.
large-mouth black, fingerlings and fry as affected by sudden changes in hydrogen-ion concentration of the water, Wiebe, A. H., 217.
large-mouth black, in Arkansas, Brown, Dell, 83.
large-mouth black, arsenic content of fingerlings, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 150-160.
late spawning preferable (disc.), 47.
propagation in Arkansas, Brown, Dell, 83-85.
protection of various species, state laws (disc.), 102-103.
raising in Maryland, Powell, A. M., 80-81.
small-mouth fry, as affected by sudden changes in the hydrogen-ion concentration of the water, Wiebe, A. H., 217.
treatment with salt dips (disc.), 114-115.

Black bass: see **Bass, black.**

Blackhead minnow (Pimephales promelas): see **Minnow.**

Blood infection. see **Furunculosis.**

Bluegill, as affected by sudden changes in the hydrogen-ion concentration of the water, Wiebe, A. H., 217.

Bolton, C. C.: In Memoriam, 35.

Bottom organisms in Lake Erie more than sufficient, Wickliff, E. L., 200.

Breeding for larger size, Brown, Dell, 84.

British Columbia, salmon propagation in Cultus lake, Foerster, R. E., 121-127.

Brook trout: see **Trout, brook.**

Buckeye Lake (Ohio), survey, Wickliff, E. L., 201.

Bullfrog: see **Rana.**

Bullheads (see also **Ameiurus nebulosus**), destructive to grey trout eggs, Atkinson, N. J., 183-186.
killed by salt treatment (disc.), 173.

Bureau of Fisheries, Law Enforcement Division, Denmead, Talbott, 258-261.

By-laws: see **American Fisheries Society,** constitution and.

Caenis: see **Mayfly.**

Calico bass (Pomoxis sparoides) in Arkansas, Brown, Dell, 83.

Callibaetis: see **Mayfly.**

Canada, adoption of uniform international regulations between the United States and, 30.
instruction of fish cultural officers, scientific course, Clemens, W. A., 164-169.
salmon propagation in Cultus lake, Foerster, R. E., 121-127.

Canned fish food: see **Balto fish food.**

Carp control with electricity, Burr, J. G., 174-181.

Catostomus commersonii: see **Sucker.**

Cestode (Proteocephalus ambloplitis), life history of, Bangham, R. V., 201.

Chambers, E. T. D.: In Memorium, 35.

Channel cat fish (Ictaluras punctatus), culture, Mobley, Ben. E., 171-172.

Chemical composition of trout body, as affected by diet, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 74-77.

Chemicals (arsenic, nicotine and copper) in water prevent hatching (disc.), 160-161.

Chironomidae: toxicity experiments with larvae, Surber, E. W., and Meehean, O. L., 225-239.

Chlorine, care in use of as control of trout gill worm (Discocotyle salmonis Schaffer), Laird, James, and Embody, G. C., 190-191.

Collins, J. L: In Memoriam, 35.

Color of fish, protective (disc.), 104.

Colpidium, toxicity experiments,, Surber, E. W., and Meehean, O. L., 225-239.

Commandant Lake (Canada), grey trout (Cristivomer namacush) eggs destroyed by suckers and bullheads, Atkinson, N. J., 183-186.

Commercial fishing, division of: see **Fishing,** commercial.

Committees, appointment of, 28
reports of, 29-32.

Constitution: see **American Fisheries Society.**

Contracaecum, parasitic on minnows in Florida, Ward, Fern, 211.

Copper sulphate and iodide, successful treatment of Channel cat fish to eliminate Ichthyophthirius multifiliis, Mobley, Ben. E., 172.
vs. sodium arsenite in control of pond vegetation, Surber, Eugene W., 143.

Course of scientific instruction for fish cultural officers, Clemens, W. A., 164-169.

Crappie: see **Calico bass.**

Cristivomer namacush: see **Trout, grey.**

Cultus Lake, British Columbia, salmon propagation in, Foerster, R. E., 121-127.

Cyclochaeta, losses from stopped (disc.), 114-115.

Cyclops, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Cyprinidae: see **Minnows.**

Damselfly: see **Ischnura verticalis.**

Daphnia as food for minnows, Radcliffe, Lewis, 134.

Deaths reported, 35.

Diet as affecting the chemical composition of the trout body, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 74-77.

Diseases of fish: see **Furunculosis.**

Discocotyle salmonis Schaffer, control of, Laird, James, and Embody, G. C., 189-191.

Disinfection of tools with Zonite (disc.), 192.

Distribution not affected by hydrogen-ion concentration, Wiebe, A H., 216-218.

Dragonfly: see **Libellula.**

Dry feeds: see **Food for fish.**

Durant (Oklahoma) Channel cat fish (Ictaluras punctatus) culture at, Mobley, Ben. E., 171-172.

Eggs, eyed, artificial propagation of salmon with, Foerster, R. E., 124-125.
fertilization of Whitefish, Wickliff, E. L., 205-206.
of grey trout destroyed by suckers and bullheads, Atkinson, N. J., 183-186.
hatching prevented by presence of arsenic, nicotine and copper in water (disc.), 160-161.
of trout, size (disc.), 46.

Electricity for controlling garfish and carp, Burr, J. G., 174-181.

Eyed eggs: see **Eggs,** eyed.

Fairport (Iowa), arsenic metabolism of large-mouth black bass studied, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 150-160.
experiments with sodium arsenite at, Surber, Eugene W., 144.

Federal authorities, resolution to invest with power, to regulate use and flow of waters, impounding and releasing of waters, construction of drains, withdrawal of water from inland lakes and streams, and control of pollution, 29-30.

Federal Law: see **Laws, federal.**

Fertility tests of whitefish eggs, Wickliff, E. L., 205-206.

Fertilizers for pond margins, Radcliffe, Lewis, 133-134.

Fingerlings, large-mouth black bass, as affected by sudden changes in hydrogen-ion concentration of the water, Wiebe, A. H., 217.
of Micropterus salmoides Lacepede, arsenic content of, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 150-160.
rapid growth of when fed ground fresh salt-water fish (disc.), 100.
rearing ponds and troughs, relative value of various types, Cobb, Eben W., 39-42.

Fish culture, report of vice-president division of, James, M. C., 18-22.

Fish marking (disc.), 127-128.

Fish ponds, method of treating for vegetation control, Surber, Eugene W., 146-147.
in Ohio, description of typical, Langlois, T. H., 112-113.
submerged vegetation in, controlling of, Surber, Eugene W., 143-147.

Fishing, commercial, report of vice-president division of, Birdseye, Clarence, 23-26.

Fishways, the Barr invention successful, Webster, B. O., 247-253.

Florida, Mosquito fish (Gambusia holbrooki) in, food and parasites of, Ward, Fern, 208-212.

Food for fish (see also **Balto fish food, Bottom organisms, Gambusia holbrooki, Forage fish, Nutritional requirements, Meat supplements, Mineral requirements, Phytoplankton, Protein requirements** and **Zooplankton**) Daphnia as supplementary food for minnows, Radcliffe, Lewis, 134.
forage fish required to raise large black bass, Brown, Dell, 84-85.
in Lake Erie, Wickliff, E. L., 200.
liver substituted by Balto fish food, Powell, A. M., 80-81.
meat supplements for cottonseed meal and dry skim milk, for trout, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 60-61.
preparation of dry feeds, MacDonald, Stuart P., and Tressler, Donald K., 64-73.
storage of dry feeds in carbon dioxide, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 64-78.

Food for frogs, Viosca, Percy, Jr., 262-269.

Forage fish, characteristics of best type, Radcliffe, Lewis, 134-135.
in Lake Erie more than sufficient, Wickliff, E. L., 200.

Freshwater (see also **Lake water**) amphipod, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.
fishes of Missouri, Ross, John H., 119-120.
shrimp: see **Hyalella.**

Frogs: see **Rana.**

Fry, removal from nests with brass tube device (disc.), 114.
small-mouth bass, as affected by sudden changes in the hydrogen-ion concentration of the water, Wiebe, A. H., 217.

Funds American Fisheries Society, 285.

Furunculosis investigations, Stevens, Margaret L., and Keil, W. M., 193-198.

Gambusia as food for frogs, Viosca, Percy, Jr., 262-269.
resistant to freezing (disc.), 213-214.

Gambusia holbrooki (Mosquito fish), food and parasites of in Florida, Ward, Fern, 208-212.
food and parasites (table), 211.

Garfish control with electricity, Burr, J. G., 174-181.

Goggle eye: see **Rock bass.**

Golden shiner (Notemigonus crysoleucas): see **Minnow.**

Goldfish, as affected by sudden changes in the hydrogen-ion concentration of the water, Wiebe, A. H., 217.

Green sunfish: see **Sunfish,** green.

Grey trout: see **Trout,** grey.

Griffith, W. H.: In Memoriam, 35.

Haas, William: In Memoriam, 35.

Hatcheries for pond fishes, efficient management of, Langlois, T. H., 106-113.

Heredity, vs. temperature as influence on spawning season of trout, Davis, H. S., 43-46.

Hocking River (Ohio), bottom invertebrates of, quoted from Ohio Journal of Science, Ludwig, William B., 204-205.
limnological survey, quoted from Ohio Journal of Science, Roach, Lee S., 203-204.

Hyalella knickerbockeri, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Hydracarina, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Hydrogen-ion concentration of water, sudden changes as affecting several species of fish, Wiebe, A. H., 216-222.

Ichthyophthirius multifiliis, successfully eliminated from Channel cat fish with copper sulphate and iodide, Mobley, Ben. E., 172.

Ictaluras punctatus: see **Channel cat fish.**

Illinois: see **Rock River.**

Impounded waters: see **Lakes, artificial.**

In Memoriam, 35.

Indiana, black bass propagation in, Shirts, Walter, 116-118.

Instruction, scientific course for fish cultural officers, Clemens, W. A., 164-169.

International regulations, adoption of uniform, between the United States and Canada, 30.

Invertebrates from Hocking River bottom, quoted from Ohio Journal of Science, Ludwig, William B., 204-205.

Iowa: see **Fairport.**

Ischnura verticalis nymphs, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Isopod: see **Asellus communis.**

Kentucky bass (see also **Spotted bass**), common nomenclature of, Hubbs, Carl L., 86.
experimental work on, in Arkansas, Brown, Dell, 83-85.
less cannibalistic than small-mouth (disc.), 100.

Kentucky black bass, distribution, Howland, Joe W., 89-90; Viosca, Percy, Jr., 98.
ecology and life history, Howland, Joe W., 90-94.

Labrador whitefish introduced into Lake Superior, Surber, Thaddeus, 244-245.

Lake Buckeye: see **Buckeye Lake.**

Lake Erie, hydrobiological survey, Wickliff, E. L., 199-200.

Lake Superior, Labrador white fish introduced into, Surber, Thaddeus, 244-245.

Lake Water vs. spring and well waters in Indiana, Shirts, Walter, 118.

Lakes, artificial, survey of newly formed, Moore, Emmeline, 139-142.

Lambson, G. H.: In Memoriam, 35.

Landstreet, F. S.: In Memoriam, 35.

Large-mouth black bass: see **Bass**, large-mouth.

Laws, Federal, for protection of black bass, Denmead, Talbott, 258-261.
for protection of spotted bass (disc.), 102-103.

LeCompte, retiring president, 32.

Legislation, protection and, report of vice-president division of, Quinn, I. T., 27-28.

Libellula nymphs, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Librarian's report, Titcomb, John W., 16-18.

Libraries, list of, 304-305.

Life members American Fisheries Society, 307-308.

Limnology: see **Hocking River** (Ohio).

Linseed meal non toxic to bullheads (Ameiurus nebulosus), McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 77.

Liver vs. Balto fish food, Powell, A. M., 80-81.

Luxilus cornutis spawning temperature, Nurnberger, Patience Kidd, 215.

Maryland, bass raising in, Powell, A. M., 80-81.
trout raising in, Powell, A. M., 80-81.

Mayfly nymphs (Caenis and Callibaetis), toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Meat supplements for cottonseed meal and dry skim milk for trout, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 60-61.

Meeting of executive committee and officers, September, 1931, minutes of, Gordon, Seth, 33.

Members American Fisheries Society, year 1931-1932, 288-304.
attending sixty-first annual meeting, 11-12.
life, American Fisheries Society, 307-308.

Membership American Fisheries Society, 284-285.
state, 306-307.

Miami River (Ohio), pollution of, Barker, C. A., 202-203.

Michigan experiments in barrier construction (disc.), 51-53.
trout stream improvement in, Tarzwell, Clarence M., 48-51.

Micropterus pseudaplites Hubbs: see **Bass,** black, and **Spotted** bass.

Midge: see **Chironomidae.**

Migration (disc.), 207.

Mineral requirements of trout, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 61-64.

Minnesota, fish cultural successes and failures in, Surber, Thaddeus, 240-245.

Minnows (see also **Gambusia** and **Luxilus cornutis**), blackhead (Pimephales promelas), life-history notes of Davis and Wiebe, quoted, Radcliffe, Lewis, 135-137.
types most suited for stocking natural waters, Radcliffe, Lewis, 137.

Mississippi River, large-mouth black bass (Micropterus salmoides Lacepede) fingerlings, arsenic metabolism in, Wiebe, A. H., Gross, E. G. and Slaughter, D. H., 152-154.

Missouri, freshwater fishes of, Ross, John H., 119-120.

Mites: see **Water mites.**

Mosquito fish (Gambusia holbrooki), food of, Ward, Fern, 208-212.

Natural waters stocking with minnows, Radcliffe, Lewis, 137.

Nemahelminthes, parasitic on minnows in Florida, Ward, Fern, 211.

New York State reservoirs: see **Sacandaga.**

Nominations of officers, 30-31.

Nutritional requirements different for different species, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 77.

Officers Ameican Fisheries Society, 286 for 1930-1931 and 1931-1932, 3.
fish cultural, course of scientific instructions for, Clemens W. A., 164-169.

Ohio division of conservation, fishery research, Wickliff, E. L., 199-206.
hatcheries for pond fishes, Langlois, T. H., 106-113.

Orange spotted sunfish: see **Sunfish,** orange.

Over-travel screen, description, Bell, Milo C., 270-279.

Oxygen concentration, as affecting fish, Wiebe, A. H., 218-222.
requirement of fish (disc.), 224.

Paramecium, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Parasites (see also **Cestode, Gambusia holbrooki, Nemahelminthes**), of freshwater fishes, Bangham, R. V., 201-202.
Ichthyophthirius multifiliis, on Channel cat fish in Oklahoma, Mobley, Ben E., 172.
trout gill worm (Discocotyle salmonis Schaffer), control of, Laird, James, and Embody, G. C., 189-191.
ultra violet light and, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 77-78.

Phytoplankton in Lake Erie more than sufficient, Wickliff, E. L., 200.

Poecillidae: see **minnows.**

Pollution, in Lake Erie, Wickliff, E. L., 200.
of Miami River at Dayton (Ohio), Barker, C. A., 202-203.

Pond retention experiments with sockeye salmon in British Columbia, Foerster, R. E., 121-127.

Pond vegetation: see **vegetation.**

Ponds (see also **Fish ponds**), of various shapes, and troughs, relative value of, Cobb, Eben W., 39-42.

Pools favorable to trout, artificially produced in unfavorable streams, Tarzwell, Clarence M., 48-51.

Potomogeton, as food for frogs, Viosca, Percy, Jr., 262-269.

Presidents' terms of service and places of meeting, 5.

Propagation, artificial, superior to natural propagation of salmon, Foerster, R. E., 123.

Protection of bass, laws governing (disc.), 102-103.
and legislation, report of vice-president division of, Quinn, I. T., 27-28.

Protective coloration of fish (disc.), 104.

Protein requirements of trout, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 61-64.

Proteocephalus ambloplitis (bass cestode) life-history worked out, Bangham, R. V., 201.

Protozoa (see also **Cyclochaeta**), toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Rana catesbiana cultural, Viosca, Percy, Jr., 262-269.

Reservoirs: see **Lakes,** artificial.

Resolutions, committee on, report of, 29-32.

Rest Lake dam, Barr fishway successfully installed, Webster, B. O., 247-253.

Rickets in fish, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 74-75; 78.

Rock bass (Ambloplites rupestris), in Arkansas, Brown, Dell, 83.

Rock River (Illinois), large-mouth black bass (Micropterus salmoides Lacepede) fingerlings, arsenic metabolism in, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 151-155.

Rodd, president elect, 32.

Rowe, Henry C.: In Memoriam, 35.

Sacandaga reservoir (New York State), survey of, Moore, Emmeline, 139-142.

Salmon, infection of (disc.), 129.
propagation, natural and artificial, Foerster, R. E., 121-127.

Salt treatment lethal to bullheads (disc.), 173.

Screens: see **Over-travel screen.**

Selective breeding as factor in controlling spawning season of trout, Davis, H. S., 43-46.

Shiner: see **Luxilus cornutis.**

Shrimp, fresh water: see **Hyalella.**

Slade, George P.: In Memoriam, 35.

Small-mouth bass (see also **Bass,** small-mouth), southern, common nomenclature of, Hubbs, Carl L., 86.

Small-mouth black bass (Micropterus dolomieu) in Arkansas, Brown, Dell, 83.
(Micropterus pseudaplites Hubbs), morphology and habits of, Viosca, Percy, Jr., 95-98.

Smith, Lewis H.: In Memoriam, 35.

Sockeye salmon fry, pond retention experiments, Foerster, R. E., 125-127.

Sodium arsenite as means of controlling submerged vegetation, Surber, Eugene W., 143-147.
solution, lethal concentrations, Surber, E. W., and Meehean, O. L., 225-239.

Sodium thiosulphate, as chemical antidote for sodium arsenite, Surber, Eugene W., 147.

Spawning areas improved by restoration of natural conditions in unfavorable streams, Tarzwell, Clarence M., 48-51.
season shortened by controlling heredity of trout, Davis, H. S., 43-46.
temperature of the shiner, Luxilus cornutis, Nurnberger, Patience Kidd, 215.
of trout, one vs. two year old fish (disc.), 46.
of trout in October (disc.), 47.

Spirogyra, toxicity experiments, Surber, E. W., and Meehean, O. L,. 225-239.

Spotted bass (Micropterus pseudaplites) in Arkansas, Brown, Dell, 83.
nomenclature, protection and range, Hubbs, Carl L., 86-87.

Spraying, portions of lake affected by (disc.), 148.

State aid, resolution to invest with power to regulate use and flow of waters, impounding and releasing of waters, construction of drains; withdrawal of water from inland lakes and streams; and control of pollution, 29-30.

State membership, 306-307.

Stocking reservoirs: see **Lakes,** artificial, survey of newly-formed.

Stream improvement and cost of in Michigan, Tarzwell, Clarence M., 48-51.

Stylonichia, toxicity experiments, Surber, E. W., and Meehean, O. L., 225-239.

Suckers destructive to grey trout eggs, Atkinson, N. J., 183-186.

Sunfish, green and orange spotted, as affected by sudden changes in the hydrogen-ion concentration of the water, Wiebe, A. H., 217.

Surmounting of barriers really desirable? (disc.), 255-256.

Temperature vs. heredity as influence on spawning season of trout Davis, H. S., 43-46.

Thayer, W. W.: In Memoriam, 35.

Time and place, committee on, report of, 29.

Top minnows: see **Gambusia.**

Treasurer's report, 1930-1931, Gordon, Seth, 13-15.

Trempealeau, Wisconsin, large-mouth black bass (Micropterus salmoides Lacepede) fingerlings, arsenic metabolism in, Wiebe, A. H., Gross, E. G., and Slaughter, D. H., 155-156.

Troughs of various sizes, and ponds, relative value of, Cobb, Eben W., 39-42.

Trout, brook, spawning of one vs. two year old (disc.), 46.
brown, temperature requirement (disc.), 245-246.
chemical composition of entire body of, and nutritional requirement, McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 58-79.
cost per pound (disc.), 82.
gill worm (Discocotyle salmonis Schaffer) control, Laird, James, and Embody, G. C., 189-191.
grey, eggs destroyed by suckers and bullheads, Atkinson, N. J., 183-186.
heredity influencing the spawning season, Davis, H. S., 43-46.
October spawning (disc.), 47.
rainbow, natural propagation in Missouri streams (disc.), 246.
raising in Maryland, Powell, A. M., 80-81.
rearing, in limited water supply, Cobb, Eben W., 39-42.
spawning season as influenced by heredity, Davis, H. S., 43-46.
stream improvement in Michigan, Tarzwell, Clarence M., 48-51.

Tuxedo Laboratory (Tuxedo Park, N. Y.), furunculosis investigations at, Stevens, Margaret L., and Keil, W. M., 193-198.

Ultra violet light destructive to external parasites, McCay, C. M., Tunison, A., Crowell, Mary. Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W., 77-78.

Umbridae: see **Minnows.**

Upper Mississippi Wild Life and Fish Refuge, control of vegetation in, Surber, Eugene W., 143-147.

Vegetation (see also **Potomogeton**), biological vs. chemical control of (disc.), 149.
control (disc.), 162-163.
fertilization of pond margins, Radcliffe, Lewis, 133-134.
of newly formed Sacandaga (New York State) reservoir, Moore, Emmeline, 141.
submerged, controlled with sodium arsenite, Surber, Eugene W., 143-147.
submerged, controlled without injury to aquatic organisms, Surber, E. W., and Meehean, O. L., 225-239.

Washington State, screening of open diversions, Bell, Milo C., 270-279.

Water mites: see **Hydracarina.**

Water, pressure experiments, Wiebe, A. H., 219-221.

Waters, regulation of, resolution, 29.

Weed killer, chemical composition of, Surber, Eugene, 145.

Weeds: see **Vegetation.**

White bass (Roccus chrysops) in Arkansas, Brown, Dell, 83.

Whitefish (see also **Labrador** whitefish), eggs, experiments in fertilizing, Wickliff, E. L., 205-206.

Wisconsin: see **Trempealeau.**

Yellow bass (Morone interrupta) in Arkansas, Brown, Dell, 83.
common nomenclature of, Hubbs, Carl L., 86.
Zonite as control of trout gill worm (Discocotyle salmonis Schaffer), Laird, James and Embody, G. C., 189-191.
as a tool disinfectant (disc.), 192.
Zooplankton in Lake Erie more than sufficient, Wickliff, E. L., 200.

PART II. AUTHOR INDEX

Atkinson, N. J.: Trout eggs destroyed by suckers and bullheads, 183-186.

Bangham, R. V.: Fish parasites, 201-202.

Barker, C. A.: Miami River, preliminary study of, 202-203.

Bell, Milo C.: Screening of open diversions in the State of Washington, 270-279.

Birdseye, Clarence: Report of the Division of Commerical Fishing, 23-26.

Brown, Dell: Basses of Arkansas and their propagation experiments, 83-85.

Burr, J. G.: Electricity as control of garfish and carp, 174-181 (with disc. 181-182).

Clemens, W. A.: Course of scientific instruction for fish cultural officers, 164-169.

Cobb, Eben W., joint author: see **McCay**, C. M. and others.

Cobb, Eben W.: Trout rearing, in limited water supply, 39-42.

Crowell, Mary, joint author: see **McCay**, C. M., and others.

Davis, H. S.: Feeding bass fingerlings on ground salt-water fish (disc.), 100.

Davis, H. S.: Small and large trout eggs (disc.), 46.

Davis, H. S.: Trout, influence of heredity on spawning season of, 43-46.

Denmead, Talbott: The Federal black bass law, 258-261.

Embody, G. C., joint author: see **Laird**, James.

Foerster, R. E.: Salmon, natural and artificial propagation compared, 121-127.

Gordon, Seth: Minutes of meeting of executive committee and officers, 33.

Gordon, Seth: Report of the Secretary-treasurer for 1930-31, 13-15.

Gross, E. G., joint author: see **Wiebe**, A. H., and others.

Harkness, William J. K.: Report of the division of aquatic biology and physics, 26-27.

Howland, Joe W.: Kentucky black bass (Micropterus pseudaplites), studies on, 89-94.

Hubbs, Carl L.: Barriers to restore natural conditions in Michigan streams (disc.), 47.

Hubbs, Carl L.: Black bass, species of, 86-88.

Hubbs, Carl L.: Hydrogen-ion concentration (disc.), 223.

James, M. C.: Report of Division of Fish Culture, 18-22.

Keil, W. M., joint author: see **Stevens, Margaret L.**

Laird, James, and Embody, G. C.: Controlling the trout gill worm (Discocotyle salmonis Schaffer, 189-191.

Langlois, T. H.: Bass treated with salt dips (disc.), 114-115.

Langlois, T. H.: Bullheads killed by salt treatment (disc.), 173.

Langlois, T. H.: Late spawning bass preferred in Ohio (disc.), 47.

Langlois, T. H.: Pond fish hatcheries, efficient management of, 106-113.

Langlois, T. H.: Portion of lake affected by spraying (disc.), 148.

LeCompte, E. Lee: Migration (disc.), 207.

Ludwig, William B.: Hocking River bottom invertebrates, quoted from Ohio Journal of Science, 204-205.

MacDonald, S. P., joint author: see **McCay, C. M., and others.**

McCay, C. M., Tunison, A., Crowell, Mary, Tressler, D. K., MacDonald, S. P., Titcomb, John W., and Cobb, Eben W.: Trout, nutritional requirements of and chemical composition of body, 58-79.

Meehean, O. L., joint author: see **Surber, E. W.**

Mobley, Ben E.: Channel cat fish (Ictaluras punctatus). culture of, 171-172.

Moore, Emmeline: Sacandaga Reservoir, follow-up program on the impounded waters of, 139-142.

Nurnberger, Patience Kidd: Spawning temperature of Luxilus cornutis, 215.

Phillips, J. L.: Blue-colored large-mouth bass (disc.), 101-102.

Powell, A. M.: Trout and bass raising, in Maryland, 80-81.

Quinn, I. T.: Protective coloration (disc.), 104.

Quinn, I. T.: Report of the Division of Protection and Legislation, 27-28.

Radcliffe, Lewis: Minnows propagation of, 131-138.

Roach, Lee S.: Limnology of Hocking River (Ohio), quoted from Ohio Journal of Science, 203-204.

Rodd, J. A.: An October spawning trout (disc.), 47.

Ross, John H.: Freshwater fishes of Missouri, 119-120.

Shirts, Walter: Black bass, propagation of in Indiana, 116-118.

Slaughter, D. H., joint author: see **Wiebe, A. H., and others.**

Stevens, Margaret L., and Keil, W. M.: Furunculosis investigations, 193-198.

Surber, E. W.: Portion of lake affected by spraying (disc.), 148.

Surber, Eugene W.: Submerged vegetation in fish ponds, sodium arsenite for control of, 143-147.

Surber, E. W., and Meehean, O. L.: Lethal concentrations of arsenic for certain aquatic organisms, 225-239.

Surber, Thaddeus: Fish cultural successes and failures in Minnesota, 240-245.

Tarzwell, Clarence M.: Trout stream improvement in Michigan, 48-51.

Titcomb, John W.: Device for removing bass fry from nests (disc.), 114.

Titcomb, John W., joint author: see **McCay,** C. M., and others.

Titcomb, John W.: Report of librarian, 16-18.

Titcomb, John W.: Restoration of natural conditions in trout streams (disc.), 54-56.

Titcomb, John W.: Shad eggs from water containing arsenic, nicotine and copper, treatment of (disc.), 160-161.

Tressler, D. K., joint author: see **McCay,** C. M., and others.

Tunison, A., joint author: see **McCay,** C. M., and others.

Viosca, Percy Jr.: Bullfrog (Rana catesbiana) culture, principle of, 262-269.

Viosca, Percy Jr.: Necessity of pond fish to get into another reach of stream questioned (disc.), 255-256.

Viosca, Percy, Jr.: Small-mouth black bass (Micropterus pseudaplites Hubbs) of the South, 95-98.

Ward, Fern: Mosquito fish (Gambusia holbrooki), food and parasites of, 208-212.

Webster, B. O.: A successful fishway, 247-253 (with disc. 253-256).

Westerman, Fred A.: Report of the Division of Angling, 22-23.

Wickliff, E. L.: Fishery research by Ohio Division of Conservation, 199-206.

Wickliff, E. L.: Kentucky bass less cannibalistic than small-mouth (disc.), 100.

Wiebe, A. H.: Fish exposed to sudden changes in Hydrogen-ion concentration of the water and to an atmosphere of pure oxygen, 216-222.

Wiebe, A. H., Gross, E. G., and Slaughter, D. H.: Large-mouth black bass (Micropterus salmoides Lacepede) fingerlings, arsenic content of, 150-160.